US ERA ARCHIVE DOCUMENT

1. Incident Name		2. Date Prepared		3. Time Prepared	UNIT LOG	
Kalamazoo River/Enbridge Spill		7/13/2012		1740	ICS 214	
4. Unit Name/Designators		5. Unit Leader			6. Operational Period :	
Containment Branch Recovery Team 1		Name:	Dan Capone & Joe Victory (START/US EPA)		From:	7/13/2012 0700
		Position:	Operations Section Chief		То:	7/13/2012 1740
		7. Pe	rsonnel R	oster Assigned		
<u>Name</u>		ICS Position		DUTY CELL		
Dan Capone		Operations Section Chief				
Joe Victory		Operations Section Chief				
Rex Johnson		Containment Branch Director				
Dan Zahner		Field Team Lead				
Marc Wahrer		CBR-1				
			8. Activ	rity Log		
OIL OBSERVED Total Collection Points Total Boom Deployed Activity	Sediment trap area 28.25 and MP-26.00 and MP-30.80 EXTENT OF OIL IMPACTED AREA DENSITY OF OIL /SHEEN Weston/START CBR 1 Team Activity: Oversaw Enbridge Field Team including Eli Eversole (AECOM) and Amber McDougle (AECOM) and additional staff for completing monitoring and sampling of sediment trap jar sediment sampling devices and reinstallation of the devices and taking water depth measurements at two potential sediment trap locations. MP-26.00 Collected 5 water depth measurements at a potential sediment trap location MP-30.80 Completed the monitoring and collection of the sediment trap jar sampling					

	1, 1 , 1 , 1 , 1 , 1 , 1 , 1 , 1 , 1 ,
	sampling device locations are labeled CSKR2825 (C01, C02 and C03). The jar
	information is detailed below:
	C01 – jars had 47mm and 45mm of soft sediment in each jar, no sheen, no
	globules were observed, sampler device was completely above the water
	C02 – jars had 50mm of soft sediment in each jar, no sheen, no globules
	visible, tree had fallen across this sediment sampling device, bb's also
	looked to have been shot into the buoy
	C03 – jars had 59mm and 47mm of soft sediment in each jar, no sheen, no
	globules were observed, sediment device was tilted slightly downstream,
	also the buoy was stolen from this location
	• They also collected poling data from 5 locations along transects at 2 of the 3
	sediment sampling device locations. The location at C01 was completely dry.
	Poling data was 0 none, 9 light, 1 moderate, 0 heavy. All temperatures were
	above 60.
	Also collected depth from top of surface water to top of sampling devices for
	ones below water
	C01 – completely above the water (area dry)
	C02 – 0.5"
	C03 – 0.5" and 2"; device tilted slightly downstream direction
	5.5 and 2, device threa slightly downstream direction
Health and Safety	
Issues	
	Field notes are in CBR-1 Logbook
Comments	č